

GOVERNED TEMPLATE RENDERING REFERENCE: WIREFRAMES DEFAULT V2 (DRAFT)

definition 7a525a9d...abf3

WIREFRAMES · PROJECT ARTIFACT

SPECIRA

Wireframes: Dispatch Modernization

Meridian Field Services: instructional example, not project evidence

DRAFT · WATERMARK POLICY: DRAFT_ONLY

template wireframes v2 · pack: specira_default_delivery

the table is the wireframe; schematics are generated

§1 Key Screen Wireframes

mandatory

3 decisions

1 evidence rule

validators: every_region_enumerates_content_slots · edge_length_content_exercised_visibly · callouts_single_concern_single_target

The content-slot table is canonical: every field enumerated with source, format, emphasis, and empty-value behavior; composite regions specify their zone anatomy; arrangement is decided, not implied. The schematics are generated from these specs with real content and enforced truncation. A region without its slots is a box, not a wireframe.

DECISION: KEY-SCREEN SELECTION & CONVENTIONS

SCR-001 dispatch board (dense interaction, the product's core), its **override dialog** (it carries the FR-012 decision; dialogs that decide are specified like screens), and **SCR-003** mobile day view (novel confirm flow). **SCR-002** inherits the board's detail pattern; **SCR-004** the notice pattern, said, not implied. Fidelity: lo-fi, no escalations. Action-order convention, declared once: primary rightmost in dialogs, primary first on cards; labels descriptive, never "OK".

SCR-001 · job-queue row (ListPanel): content slots

Slot	Source	Format & truncation	Emphasis	Empty value
Job id + fault summary	Job.id · Job.skill_required	Single line; ellipsis past the meta budget;	primary	never (id mandatory)


Slot	Source	Format & truncation	Emphasis	Empty value
		full text on hover		
Priority + age	Job.priority · Job.created_at	"P1 · 12m"; minutes under an hour, then "1h 05m"; right-aligned, tabular figures	meta	n/a
Selected treatment	n/a	Weight + border, never color	n/a	n/a

SCR-001 · suggestion card (CardStack): zone anatomy, in order

Zone	Source	Rule
1 · Title	Technician.hr_id · name	Primary tier; the longest realistic name is exercised: "T-014 · J. Alvarez-Whittingham" truncates per rule, never collides
2 · Metadata line	returning-from context	Meta tier; hidden when absent ; conditional visibility stated
3 · Chips	band · certification · telemetry	Proximity band (<u>TERM-011 label^[9]</u>), certification, "position 3 min old" rides the staleness flag
4 · Actions	n/a	Accept (primary, the card's tap target), then Override... (secondary)

DECISION: ARRANGEMENT

Suggestions are **cards** (heterogeneous content), ordered by the recommendation module's rank, never re-sorted client-side (FR-010^[2]). The queue is a **list** (homogeneous scans faster), sorted priority then age, fixed-height scroll, no pagination.



Generated from the content-slot spec (`scr-001-board.wf.yaml` → `gen_wireframe.py`):
typed element kinds, real representative content with edge cases (longest name, a technician
with no position), truncation enforced in render. The tables above are canonical.

Override dialog: input spec

Input	Type	Rules
Reason	select · required	The six governed codes (<u>enumeration^[3]</u>); required is the marked minority; label top-aligned
Note	text · optional	250 maximum with a live counter; overflow rejected naming the limit (<u>US-3 row AT-3^[8]</u>)
Mismatch warning	conditional line	Appears when the chosen technician lacks the required certification; visibility rule stated
Actions	Cancel · Confirm override	Primary rightmost per the declared convention; labels descriptive

SCR-001 · Override assignment (dialog, lo-fi)

lo-fi schematic · generated from the content-slot table

Dialog · Override JOB-2214 to T-088 (M. Boucher)

Reason (required) · select, one of the six governed codes

RC-03 · Customer request

Note (optional, 250 max · counter shows remaining)

Customer asked for the tech who installed the unit last fall...

T-088 lacks G2 · confirmation required (skill-mismatch recorded)

Cancel

Confirm override

The dialog schematic, generated from `scr-001-override-dialog.wf.yaml` ; the note field shows its edge-length content ellipsized, the warning line rides its condition.

State deltas: one base frame, per-state region changes

State	Regions that change	Pattern-library reference
Queue empty	ListPanel	Empty-state pattern: "No open jobs; intake sends them here" + intake link
Loading	ListPanel · CardStack	Skeleton rows pattern
Error	ListPanel	Error pattern: retry + the phone-fallback note; specific, never blaming
Permission-denied	CardStack actions · AppBar	Read-only banner; actions removed server-side (SR-004 ^[4])
Feed degraded	MapStrip	Stale chips + "unknown, never guessed" (degradation ^[2])

Callouts (one concern, one target each):

- callout 1 Ranking rule → [FR-010^{\[2\]}](#) FRD ANCHOR
- callout 2a Reason-code list → [ReasonCode^{\[3\]}](#) DATA-MODEL FIELD
- callout 2b Capture rule → [FR-012^{\[2\]}](#); one callout resolving to two things split into two numbers FRD ANCHOR
- callout 3 Staleness display → [degradation^{\[2\]}](#); the strip carries an alert role FRD ANCHOR + A11Y ATTRIBUTE
- callout 4 Queue sort rule → [interface behavior^{\[2\]}](#) FRD ANCHOR

§2 Responsive Breakpoints

conditional · engaged: multi-viewport

1 decision

1 evidence rule

validator: breakpoint_set_named_with_baseline

Set: 375 · 768 · 1280, named. **Baselines:** board desktop-first (1280); day view mobile-first (375).

Screen	At 768	At 375
SCR-001 board	Position strip stacks under the queue; suggestion panel keeps three cards, horizontally scrollable	Not offered: dispatching is a desktop task (experience constraints^[5]), recorded
SCR-003 day view	Centers; no new regions	Single column (baseline)

§3 Component Library Basis

mandatory

2 decisions

1 evidence rule

validators: library_basis_named_with_version_or_bespoke_decision · component_gaps_named_as_design_system_requests

Basis: the Meridian design system, tokens v4.2 ([internal reuse^{\[6\]}](#)); regions cite its named components; no raw hex or pixel values anywhere. **Gaps sent upstream:** a [StalenessFlag](#) chip variant and a [ReasonCode](#) selector do not exist yet; filed as design-system requests ([linked^{\[7\]}](#)).

Accessibility at schematic altitude: board first focus lands on the newest job; tab order queue → suggestions → actions; day view first focus on the confirm action. The audit itself belongs to the accessibility deliverable, referenced.

§4 Open Questions

mandatory

1 decision

Question	Owner	Answer by	Blocks
Does the override dialog live inline in the suggestion panel or as a modal?	D. Kaur	Aug 22, 2026	SCR-001 's suggestion-panel region only (US-3^[8])

Omission note (fixed-viewport products): "§2 Responsive Breakpoints omitted: kiosk surface, one viewport. Rationale recorded in adaptation event #1."

Refs References & Package Contents

In this export package

- package [2] Functional spec: FR-010..012, interface behavior (the rules the callouts point at) ./frd-recommendation-rules.docx
- package [5] Product Requirements Document: experience constraints ./prd-dispatch-modernization.docx
- package [7] Design-system requests: StalenessFlag, ReasonCode selector ./design-system-requests.html

In the Specira workspace

- specira [1] Screen inventory: the roster and state sets this artifact details
app.specira.ai/projects/dispatch-modernization/artifacts/screen-inventory
- specira [3] Data model: the bound entities and fields app.specira.ai/projects/dispatch-modernization/artifacts/data-model
- specira [4] Security requirements: SR-004 app.specira.ai/projects/dispatch-modernization/artifacts/security-requirements
- specira [6] Architecture: design-system reuse row app.specira.ai/projects/dispatch-modernization/artifacts/architecture#sourcing
- specira [8] Story set: US-3 override app.specira.ai/projects/dispatch-modernization/artifacts/user-stories

specira [9] Glossary: TERM-011 proximity band (chip labels use governed terms)
app.specira.ai/projects/dispatch-modernization/artifacts/glossary

Generated by Specira · template wireframes v2 (draft) · pack specira_default_delivery lineage 7a525a9d...
abf3 · page 1 of 5

SAMPLE
seeded demo data · specira.ai